


S1

INSTRUCTION MANUAL

使用说明书



GOOSKY

#4 BY DESIGN

© 2023

Thank you for buying GOOSKY products. The S1 is the latest technology in radio control helicopters. Please read this manual carefully before assembling and flying the New S1 helicopter. We recommend that you keep this manual for future reference and to assist with maintenance.

感谢您选用谷天科技系列产品。

进入遥控世界前必须告诉您许多相关的知识与注意事项，以确保您能够在学习的过程中较得心应手。在开始操作之前，请务必详细阅读本说明书，相信一定能够给您带来相当大的帮助，也请您妥善保管这本说明书，以作为日后参考。

Thank you for buying GOOSKY products. The S1 Helicopter is designed as an easy to use, full featured radio control helicopter capable of all forms of rotary flight. Please read the manual carefully before assembling the model, and follow all precautions and recommendations located within the manual. Be sure to retain the manual for future reference, routine maintenance, and tuning.

The S1 is a new product developed by GOOSKY. It features the best design available on the Micro-Heli market to date, providing flying stability for beginners, full aerobatic capability for advanced fliers, and unsurpassed reliability and customer support.

感谢您选购谷天科技公司产品，为了您容易方便使用S1直升机，请您详细的阅读完这本说明书之后再行组装以及操作这台直升机，同时请您妥善保存这本说明书，作为日后进行调整以及维修的参考。

S1是由谷天科技有限公司自行研发的新产品，不论您是需求飞行稳定的初学者还是追求性能卓越的飞行爱好者。S1将是您最佳的选择。

WARNING LABEL LEGEND 标志代表含义

 WARNING 警告	Mishandling due to failure to follow these instructions may result in damage or injury. 因为疏忽这些操作说明，而使用错误可能造成财产损失或严重伤害。
 CAUTION 注意	Mishandling due to failure to follow these instructions may result in danger. 因为疏忽这些操作说明，而使用错误可能造成危险。
 FORBIDDEN 禁止	Do not attempt under any circumstances 在任何禁止的环境下，请勿尝试操作。

IMPORTANT NOTES 重要声明

R/C helicopters, including The S1 are not toys. R/C helicopters utilize various high-tech products and technologies to provide superior performance. Improper use of this product can result in serious injury or even death. Please read this manual carefully before using and make sure to be conscious of your own personal safety, the safety of others, and your environment when operating all GOOSKY products.

Manufacturer and seller assume no liability for the operation or the use of this product. Intended for use only by adults with experience flying remote control helicopters at a legal flying field. After the sale of this product we cannot maintain any control over its operation or usage.

S1遥控直升机并非玩具，它是结合了许多高科技产品所设计出来的休闲用品，所以商品的使用不当或者不熟悉都可能会造成严重伤害甚至死亡，使用之前请务必仔细阅读本说明书，勿轻忽并注意自身安全。

注意！任何遥控直升机的使用，制造商和经销商是无法对使用者于零件使用的损耗异常或组装不当所发生之意外负责任何责任，本产品是为提供给有操作过模型直升机经验的成人或者有相当技术的人员在旁指导于当地合法遥控飞行场飞行，以确保安全无误下操作使用，产品售出后该公司将不负任何责任和使用控制上的任何性能与安全责任。

We recommend that you obtain the assistance of an experienced pilot before attempting to fly our products for the first time. A local expert is the best way to properly assemble, setup, and fly your model for the first time. S1 Helicopter requires a certain degree of skill to operate, and is a consumer item. Any damage or dissatisfaction as a result of accidents or modifications are not covered by any warranty and cannot be returned for repair or replacement. Please contact our distributors for free technical consultation and parts at discounted rates when you experience problems during operation.

模型商品属于需高操作技术且为消耗性之商品，如经拆装使用后，会造成不等情况零件损耗，任何使用情况所造成的商品不良或不满意，将无法于保固条件内更换新品或者退货，如遇有使用操作维修问题，本公司全球分公司或者代理商将提供技术指导，特价零件供应服务。

SAFETY NOTES 安全注意事项



Fly only in safe areas, away from other people. Do not operate R/C aircraft within the vicinity of homes or crowds of people. R/C aircraft are prone to accidents, failures, and crashes due to a variety of reasons including, lack of maintenance, pilot error, and radio interference. Pilots are responsible for their actions and damage or injury occurring during the operation, or as a result of R/C aircraft.

遥控模型飞机、直升机属于高危险性商品，飞行时务必远离人群，人为组装不当或机件损坏，电子控制设备不良，以及操控上的不熟悉、都有可能导致飞行失控损伤等不可预期的意外，请飞行者务必注意飞行安全，并需了解自负疏忽所造成的任何意外之责任。



LOCATE AN APPROPRIATE LOCATION 远离障碍物及人群

R/C helicopters fly at high speed, thus posing a certain degree of potential danger. Choose a legal flying field consisting of flat, smooth ground without obstacles.

Do not fly near buildings, high voltage cables, or trees to ensure the safety of yourself, others and your model.

For the first practice, please choose a legal flying field and use training skids to fly to reduce the damage. Do not fly your model in inclement weather, such as rain, snow or darkness.

直升机飞行时具有一定的速度，相对的也潜在着危险性，场地的选择也相对的重要，请遵守当地的法律法规到合法的遥控飞行场地去飞行。

必须注意周边有没有人、高楼、建筑物、高压电线、树木等等，避免操控的不当造成自己或他人的财产损失。

初次练习时，务必选择在空旷合法专属飞行场地并适当搭配练习架飞行，这对于飞行失误所造成的损伤将会大幅的降低。请勿在下雨天、打雷等恶劣天气下操作，以确保本身及机体的安全。



PREVENT MOISTURE 远离潮湿环境

R/C models are composed of many precision electrical components.

It is critical to keep the model and associated equipment away from moisture and other contaminants. The introduction or exposure to water or moisture in any form can cause the model to malfunction resulting in loss of use, or a crash. Do not operate or expose to rain or moisture.

直升机内部也是由精密的电子零件组成，所以必须绝对的防止潮湿或水气，避免在浴室或雨天时使用，防止水气进入机身内部而导致机件及电子零件故障而引发不可预期的意外！




PREVENT OPERATION 勿不当使用本产品

Please use only Goosky parts to ensure the safe operation of your helicopter.

请勿自行改造加工，任何的升级改造或维修，请使用谷天科技创新产品目录中的零件，以确保结构的安全。

请确认于产品限界内操作，请勿过载使用，并勿用于安全、法令外其他非法用途。




OBTAIN THE ASSISTANCE OF AN EXPERIENCED PILOT 避免独自操控

Before turning on your model and transmitter, check to make sure no one else is operating on the same frequency. Frequency interference can cause your model, or other models to crash.

The guidance provided by an experienced pilot will be invaluable for the assembly, tuning, trimming, and actual first flight. (We recommend you practice with a computer-based flight simulator.)

至飞行场地前，需确认是否有相同频率的同好正在飞行，因为开启相同的频率的发射机将导致自己与他人立即干扰等意外危险。

遥控飞机操控技巧在学习初期有着一定的难度，要尽量避免独自操作飞行，需有经验的人士在旁指导，才可以操控飞行。（勤练电脑模拟器及老手指导是入门必要的选择）



SAFE OPERATION 安全操作

Operate this unit within your ability. Do not fly under impaired conditions and improper operation may cause danger to yourself and others.


请于自己能力内及需要一定技术范围内操作这台直升机，过于疲劳，精神不佳或不当操作，意外发生风险将可能会提高。



ALWAYS BE AWARE OF THE ROTATING BLADES 远离运转中的零件

During the operation of the helicopter, the main rotor and tail rotor will be spinning at a high rate of speed. The blades are capable of inflicting serious bodily injury and damage to the environment. Be conscious of your actions, and careful to keep your face, eyes, hands, and loose clothing away from the blades. Always fly the model a safe distance from yourself and others, as well as surrounding objects. Never take your eyes off the model or leave it unattended while it is turned on. Immediately turn off the model and transmitter when you have landed model.


当直升机主旋翼与尾旋翼运转时，切勿触摸并远离任何物件，以避免造成危险及损坏。







KEEP AWAY FROM HEAT 远离热源

R/C models are made of various forms of plastic is very susceptible to damage or deformation due to extreme heat and cold climate. Make sure not to store the model near any source of heat such as an oven, or heater. It is best to store the model indoors in a climate-controlled room.

遥控飞机多半是以PA纤维或聚乙烯、电子商品为主要材质，因此要尽量远离热源、日照、以避免因高温而变形甚至熔毁损坏的可能。



 Knife 刀子	 Scissors 剪刀	 Needle Nose Pliers 尖嘴钳	 Diagonal Cutting Pliers 斜口钳
 Philips Screw Driver 十字螺丝起子	 Hex Driver 六角螺丝起子	 Oil 润滑油	 CA 瞬间胶

胶水使用方法


When you see the marks as below, please use glue or grease to ensure flying safety.
标有以下符号之组装步骤，请配合上胶或上油，以确保使用之可靠度。



Apply BLUE Threadlocker
使用中强度螺丝胶



Apply Petroleum-Based,
Light Viscosity Lube
添加润滑油



Loosely Tighten
普通拧紧



Apply NO Threadlock
无需使用螺丝胶



Apply Synthetic
Grease
添加润滑油脂




Fully Tighten
完全拧紧




Apply MEDIUM CA
使用瞬间胶固定



Repeat Multiple Times
重复多次



BLUE threadlocker width: approx 1mm
蓝色螺丝胶上胶宽度约1.0mm



Specifications 参数配备

- Length: 278mm
 - Height: 88mm
 - Main Blade: 125mm
 - Main Rotor Diameter: 290mm
 - Tail Rotor Diameter: 53mm
 - Flying Weight: About 107g
- 机身长: 278mm
 - 机身高: 88mm
 - 主旋翼长度: 125mm
 - 主旋翼直径: 290mm
 - 尾旋翼直径: 53mm
 - 起飞重量约: 107g

Features 设计特点

- With dual brushless motors driving the main and tail rotors directly
- Adjustment free linkage rods for servos, swash and head
- Lightweight design with carbon fiber fuselage and aviation grade aluminum alloy material
- Brand new streamlined canopy design, with colorful paint for great visibility
- Canopy disassembling-free battery quick change design
- High impact nylon plastic landing skid design
- Parameter adjustment by Smart Phone APP Wireless program. Upgradeable FBL firmware
- Non-reversible quick release tail rotor
- Tail motor tab connection
- GTS System reprogramming of Higher Order Control Algorithms


- 采用双无刷电机直接驱主尾旋翼设计
- 全机免调连杆设计
- 机身全碳纤维+航空铝合金材质轻量化设计
- 全新设计的流线型头罩, 采用炫彩烤漆工艺
- 免拆头罩电池快拆设计
- 高抗冲击尼龙塑胶脚架设计
- 手机APP调参、无线程序升级
- 防呆快拆螺旋桨设计
- 紧固式极耳电机连接
- 多功能、高集成GTS飞控系统

CAUTION
注意


Recommendation: M2 x 5 use high-strength metal thread locker.
建议: M1.4*8使用中强度金属螺纹胶

CAUTION
注意

原装组装完成品, 每一次飞行前请先确认螺丝是否已上胶不会松动。



 Radial Bearing-682XZZ 滚珠轴承(Ø2.5*Ø6*2.6mm)x4	 Main Blade bearing Sleeve 主桨夹轴承隔套 (Ø2.6*Ø4.8*2mm)x2	 Socket screw 圆柱头机械牙轴套螺丝 (M1.4X8mm -半牙)x2	 Bush 金属衬套 (φ1.5*φ2*5.1)x2
--	---	--	-------------------------------------





 Damper sleeves 横轴松紧调节套 (Ø2.6*Ø4.8*0.3)x2	 Damper rubber 横轴减震圈 (φ2.5*φ5.15*1.5) x2
 Socket screw 圆柱头内六角螺丝 (M1.6x4mm) x2	 Washer 横轴螺丝垫片 (Ø1.6*Ø5.9*0.4mm)x2

CAUTION
注意

Recommendation:M1.6x4 use red loctite.
建议: M1.6x4使用中强度金属螺纹胶

原装组装完成品, 每一次飞行前请先确认螺丝是否已上胶不会松动。





	Philips Screw 圆头十字螺丝 (M1x2mm)x2
	Philips Screw 半圆头带介十字螺丝 (M1.4x3mm)x3
	Ball head screw 球头螺丝 (Φ2.5*4.3mm-M1.4)x4
	Anti-rotation bracket ball head screw 相位球头螺丝 (Φ2.5*9.8mm-M1.4)x1



Recommendation: Use low strength metal thread glue for M1x2 screws and M1.4x3 screws.
建议: M1x2螺丝和M1.4x3螺丝使用低强度金属螺纹胶。




Recommendation: To assemble ball screw, it is recommended to use a medium strength metal thread locking glue.
建议: 装配球头螺丝建议使用中强度金属螺纹锁固胶。




Ball Bearing-MR63ZZ 滚珠轴承(Ø3*Ø6*2.5mm)x2	Cross recessed round head screw 圆头十字机械牙螺丝 (M1.4X3)x2	Philips Screw 半圆头带介十字螺丝 (M1.4x3mm)x2






CAUTION
注意

- 1: Suggestion: use low strength metal thread sealant for M1.6x4 screws.
建议: M1.6x4螺丝使用低强度金属螺纹胶。
- 2: The linkage ball must be positioned 7mm out on the servo arm.
球头安装位置距离 摆臂旋转中心 7mm。







Countersunk head screw
沉头内六角机械螺丝
(M2.5x4mm)x2

CAUTION
注意


1: Countersunk Head Screw It is recommended to use a medium strength thread locking glue and aligning the screw with the flat step on the spindle during assembly. The screws must be locked in place.



1: M2.5*4沉头螺丝 建议涂抹中强度螺纹锁固胶水, 装配时螺丝要对准主轴上的平面台阶锁入, 螺丝要锁到位。




Philips Screw
半圆头带介十字螺丝
(M1.4x3mm)



Philips Screw
半圆头带介十字螺丝
(M1.4x3mm)x6









Philips Screw
半圆头带介十字螺丝
(M1.4x3mm)x4



















CAUTION
注意

Butterfly washer assembly direction:
the large plane is downward
蝶形垫圈装配方向大平面朝下

	Butterfly washer 蝶形垫圈 (Ø1.5*Ø3*0.3*0.6mm)x3
	cross recessed round head screw 圆头十字机械牙螺丝 (M1.4X3)x3







Notice:

- 1: Each set of blades has been matched for weight when leaving the factory. Do not mix blades between sets. If the blades are mixed the helicopter may shake which could lead to a loss of control.
- 2: When assembling the main blades the screws must not be tightened down completely. The blades must be able to be folded by hand with only a little effort. The tightness of the blades must be consistent for both blades, if they are overtightened or inconsistently tightened, the helicopter may shake and could lead to a loss of control.

注意:

- 1: 每组桨叶出厂时已完成选号、称重配对，当同时有多对桨叶时，不可多组混搭使用。桨叶若混搭使用，会造成直升机飞行不稳异常震动，严重的可能会失控。
- 2: 装配时固定螺丝绝对不能锁太紧，锁紧后需用手折动桨叶，要有轻微的阻尼感为佳，两支桨叶的紧度要一致。紧度不一致或者过紧会造成机体震动导致飞行时不稳定，严重的可能会导致失控，请务必小心注意，并养成飞行前检查并定期保养。




Flight Parameter Setting Introduction
飞行参数设置说明

General Flight Mode 一般飞行模式			
Throttle 油门		Blade Pitch 螺距	
5	55	100	11.5°
4	55	65	5.5°
3	55	15	1.8°
2	55	-5	-0.6°
1	0	-20	-2.4°

IDLE 1 Mode IDLE 1模式			
Throttle 油门		Blade Pitch 螺距	
5	60	100	11.5°
4	60	50	5.5°
3	60	5	0.6°
2	60	-50	-5.5°
1	60	-100	-11.5°

IDLE 2 Mode IDLE 2模式			
Throttle 油门		Blade Pitch 螺距	
5	70	100	11.5°
4	70	50	5.5°
3	70	0	0°
2	70	-50	-5.5°
1	70	-100	-11.5°

Introduction for flight control binding
飞控对频介绍




CAUTION
注意

Turn on the GOOSKY T8 transmitter, press the BIND button for 3 times after the helicopter is powered on. The blue light flashes quickly. Keep the transmitter less than one meter away from the flight control. The flight control passes self-detection when the blue light is solid on. Then the binding is done.

Turn on the Futaba transmitter, adjust the communication protocol to (S-FHSS). Long press and hold the BIND button when the aircraft is powered on, the blue light flashes quickly then. Keep the transmitter less than one meter away from the flight control. The flight control passes self-detection when the blue light is solid on. Then the binding is done.

打开GOOSKY T8遥控器，飞机上电**连接3次**（BIND）按键等蓝灯快闪，遥控器靠近飞控小于1米距离，蓝灯常亮飞控通过自检，对频完成；

打开Futaba遥控器，将通信协议调整到(S-FHSS)，飞机上电**长按**（BIND）按键等蓝灯快闪，遥控器靠近飞控小于1米距离，蓝灯常亮飞控通过自检，对频完成；







<p>Model: GT030001 配件编号: GT030001 Product name: Head block 配件名称: 主轴中心座组</p>	<p>Package: Hang tag +PE bag 包装方式: 吊卡+PE袋</p>	<p>Model: GT030002 配件编号: GT030002 Product name: Damper Rubber 配件名称: 横轴减震套组</p>	<p>Package: Hang tag +PE bag 包装方式: 吊卡+PE袋</p>	<p>Model: GT030003 配件编号: GT030003 Product name: Blade grip set 配件名称: 主桨夹组</p>	<p>Package: Hang tag +PE bag 包装方式: 吊卡+PE袋</p>	<p>Model: GT030004 配件编号: GT030004 Product name: Feathering Shaft Set 配件名称: 横轴组</p>	<p>Package: Hang tag +PE bag 包装方式: 吊卡+PE袋</p>
<p>适用机型: S1</p>		<p>单品4PCS 适用机型: S1</p>		<p>适用机型: S1</p>		<p>适用机型: S1</p>	



<p>Model: GT030005 配件编号: GT030005 Product name: Main pitch control arm Set 配件名称: 主螺距控制臂组</p>	<p>Package: Hang tag +PE bag 包装方式: 吊卡+PE袋</p>	<p>Model: GT030006 配件编号: GT030006 Product name: Main pitch control arm screw set 配件名称: 主螺距控制臂螺丝组</p>	<p>Package: Hang tag +PE bag 包装方式: 吊卡+PE袋</p>	<p>Model: GT030007 配件编号: GT030007 Product name: Swashplate Set 配件名称: 倾斜盘</p>	<p>Package: Hang tag +PE bag 包装方式: 吊卡+PE袋</p>	<p>Model: GT030008 配件编号: GT030008 Product name: Ball Joint set 配件名称: 球头组</p>	<p>Package: Hang tag +PE bag 包装方式: 吊卡+PE袋</p>
<p>单品4PCS 适用机型: S1</p>		<p>适用机型: S1</p>		<p>适用机型: S1</p>		<p>适用机型: S1</p>	





<p>Model: GT030009 配件编号: GT030009 Product name: Double hole ball joint Linkage 配件名称: 双孔球头连杆组</p>	<p>Package: Hang tag +PE bag 包装方式: 吊卡+PE袋</p>	<p>Model: GT030010 配件编号: GT030010 Product name: Main shaft 配件名称: 主轴组</p>	<p>Package: Hang tag +PE bag 包装方式: 吊卡+PE袋</p>	<p>Model: GT030011 配件编号: GT030011 Product name: Upper frame plate 配件名称: 二三板</p>	<p>Package: Hang tag +PE bag 包装方式: 吊卡+PE袋</p>	<p>Model: GT030012 配件编号: GT030012 Product name: Main shaft bearing holder 配件名称: 机身同心度保持架组</p>	<p>Package: Hang tag +PE bag 包装方式: 吊卡+PE袋</p>
<p>单品6PCS 适用机型: S1</p>		<p>适用机型: S1</p>		<p>适用机型: S1</p>		<p>适用机型: S1</p>	





<p>Model: GT030013 配件编号: GT030013 Product name: Main frame plate 配件名称: 主板</p>	<p>Package: Hang tag +PE bag 包装方式: 吊卡+PE袋</p>	<p>Model: GT030014 配件编号: GT030014 Product name: CCPM Servo 配件名称: 倾斜盘舵机</p>	<p>Package: Hang tag +PE bag 包装方式: 吊卡+PE袋</p>	<p>Model: GT030015 配件编号: GT030015 Product name: Bearing limit carbon plate 配件名称: 轴承限位碳板</p>	<p>Package: Hang tag +PE bag 包装方式: 吊卡+PE袋</p>	<p>Model: GT030016 配件编号: GT030016 Product name: Tilt Phase Block 配件名称: 倾斜盘相位座</p>	<p>Package: Hang tag +PE bag 包装方式: 吊卡+PE袋</p>
<p>适用机型: S1</p>		<p>适用机型: S1</p>		<p>适用机型: S1</p>		<p>适用机型: S1</p>	




<p>Model: GT030017 配件编号: GT030017 Product name: Main frame side 配件名称: 侧板组</p>	<p>Package: Hang tag +PE bag 包装方式: 吊卡+PE袋</p>	<p>Model: GT030018 配件编号: GT030018 Product name: Main motor 配件名称: 主电机组</p>	<p>Package: Hang tag +PE bag 包装方式: 吊卡+PE袋</p>	<p>Model: GT030019 配件编号: GT030019 Product name: Landing Skid 配件名称: 脚架组</p>	<p>Package: Hang tag +PE bag 包装方式: 吊卡+PE袋</p>	<p>Model: GT030020 配件编号: GT030020 Product name: Battery Mount frame upper 配件名称: 电池固定支架-上</p>	<p>Package: Hang tag +PE bag 包装方式: 吊卡+PE袋</p>
<p>单品1PCS 适用机型: S1</p>		<p>适用机型: S1</p>		<p>适用机型: S1</p>		<p>适用机型: S1</p>	




<p>Model: GT030021 Package: Hang tag +PE bag 配件编号: GT030021 包装方式: 吊卡+PE袋 Product name: Battery Mount frame Lower 配件名称: 电池固定支架-下</p>  <p>M1.4x3=2PCS</p>	<p>Model: GT000081 Package: Hang tag +PE bag 配件编号: GT000081 包装方式: 吊卡+PE袋 Product name: Motor connection wire fix screw set 配件名称: 电机连接线固定螺丝组</p>  <p>M1.4x3=10PCS (Ø1.5*Ø3*0.3*0.6mm)=10PCS</p>	<p>Model: GT030023 Package: Hang tag +ESD bag 配件编号: GT030023 包装方式: 吊卡+防静电袋 Product name: ESC Board 配件名称: 电调板</p>  <p>ST1.2*5PA=4PCS M1.4x3=4PCS Ø1.5xØ3x0.3x0.6=3PCS</p>	<p>Model: GT030024 Package: Hang tag +ESD bag 配件编号: GT030024 包装方式: 吊卡+防静电袋 Product name: Flight Controller 配件名称: 飞控板</p>  <p>Ø2*L6.4*M1.2=2PCS M1.2x3=4PCS</p>
--	---	--	--



<p>Model: GT030025 Package: Hang tag +ESD bag 配件编号: GT030025 包装方式: 吊卡+防静电袋 Product name: Washer 配件名称: 横轴松紧调节垫片</p>  <p>Ø2.6xØ4.8x0.4=4PCS</p>	<p>Model: GT030026 Package: Hang tag +ESD bag 配件编号: GT030026 包装方式: 吊卡+防静电袋 Product name: Washout Mount Set 配件名称: 倾斜球固定座组</p> 	<p>Model: GT030027 Package: Hang tag +PE bag 配件编号: GT030027 包装方式: 吊卡+PE袋 Product name: Tail Boom set - White 配件名称: 尾管组-白色</p> <p>单品2PCS</p> 	<p>Model: GT030028 Package: Hang tag +PE bag 配件编号: GT030028 包装方式: 吊卡+PE袋 Product name: Tail Boom set - Rose red 配件名称: 尾管组-玫红色</p> <p>单品2PCS</p> 
---	---	---	--





<p>Model: GT030029 Package: Hang tag +PE bag 配件编号: GT030029 包装方式: 吊卡+PE袋 Product name: Tail Boom set - Green 配件名称: 尾管组-绿色</p> <p>单品2PCS</p> 	<p>Model: GT030030 Package: Hang tag +PE bag 配件编号: GT030030 包装方式: 吊卡+PE袋 Product name: Tail Boom Inner Mount 配件名称: 尾管内部固定座</p>  <p>M1.4*2=2PCS M1.4*4=2PCS</p>	<p>Model: GT030031 Package: Hang tag +PE bag 配件编号: GT030031 包装方式: 吊卡+PE袋 Product name: Tail side panel reinforcement 配件名称: 尾侧板加强片</p> <p>单品1PCS</p> 	<p>Model: GT030032 Package: Hang tag +PE bag 配件编号: GT030032 包装方式: 吊卡+PE袋 Product name: Vertical fin (White) 配件名称: 垂直翼-白色</p>  <p>M1.4*4=2PCS</p>
---	--	---	--



<p>Model: GT030033 Package: Hang tag +PE bag 配件编号: GT030033 包装方式: 吊卡+PE袋 Product name: Vertical fin (Rose red) 配件名称: 垂直翼-玫红色</p>  <p>M1.4*4=2PCS</p>	<p>Model: GT030034 Package: Hang tag +PE bag 配件编号: GT030034 包装方式: 吊卡+PE袋 Product name: Vertical fin (Green) 配件名称: 垂直翼-绿色</p>  <p>M1.4*4=2PCS</p>	<p>Model: GT030035 Package: Hang tag +PE bag 配件编号: GT030035 包装方式: 吊卡+PE袋 Product name: Tail Motor 配件名称: 尾电机</p>  <p>M1.4*4=2PCS</p>	<p>Model: GT030036 Package: Hang tag +PE bag 配件编号: GT030036 包装方式: 吊卡+PE袋 Product name: Tail blade 配件名称: 尾桨组</p>  <p>M1.6螺丝套=2PCS M1.6*3=2PCS</p>
--	--	--	---




<p>Model: GT030037 Package: Hang tag +PE bag 配件编号: GT030037 包装方式: 吊卡+PE袋 Product name: Main Blade 配件名称: 主桨组</p>  <p>M1.6螺母x2 M1.6X9 半牙x2</p>	<p>Model: GT030038 Package: Hang tag +PE bag 配件编号: GT030038 包装方式: 吊卡+PE袋 Product name: Main rotor holder set 配件名称: 主桨固定配件组</p>  <p>M1.6X9 半牙x4 M1.6螺母x4</p>	<p>Model: GT030039 Package: bar code +White box 配件编号: GT030039 包装方式: 条形码+白盒 Product name: Lipo Battery Set 配件名称: 锂电池组</p> <p>单品1PCS</p>  <p>7.4V 300mAh 60c</p>	<p>Model: GT030040 Package: Hang tag +PE bag 配件编号: GT030040 包装方式: 吊卡+PE袋 Product name: Canopy Set (Rose red) 配件名称: 彩绘机头罩组-玫红色</p> 
--	---	--	--

<p>Model: GT030041 Package: Hang tag +PE bag 配件编号: GT030041 包装方式: 吊卡+PE袋 Product name: Canopy set (Green) 配件名称: 彩绘机头罩组-绿色</p> 	<p>Model: GT030042 Package: Hang tag +PE bag 配件编号: GT030042 包装方式: 吊卡+PE袋 Product name: Canopy Set (White) 配件名称: 彩绘机头罩组-白色</p> 	<p>Model: GT030043 Package: Hang tag +PE bag 配件编号: GT030043 包装方式: 吊卡+PE袋 Product name: Canopy grommets 配件名称: 机壳胶套组</p> <p>单品4PCS</p> 	<p>Model: GT030044 Package: Hang tag +PE bag 配件编号: GT030044 包装方式: 吊卡+PE袋 Product name: Swing arm ball joint group 配件名称: 舵机摆臂球头组</p> <p>适用地方: 舵机球头 适用机型: S1</p> 
--	--	--	---

<p>Model: GT030045 Package: Hang tag +PE bag 配件编号: GT030045 包装方式: 吊卡+PE袋 Product name: Screw set 配件名称: 螺丝组</p> 	<p>Model: GT030046 Package: Hang tag +PE bag 配件编号: GT030046 包装方式: 吊卡+PE袋 Product name: M1.6 Nut 配件名称: M1.6螺母</p> <p>适用机型: S1 S2</p> 	<p>Model: GT030047 Package: Hang tag +PE bag 配件编号: GT030047 包装方式: 吊卡+PE袋 Product name: Ball bearing set (MR128) 配件名称: 滚珠轴承组(MR128)</p> <p>适用机型: S1</p>  <p>Φ8*Φ12*2.5 =2PCS</p>	<p>Model: GT030048 Package: Hang tag +PE bag 配件编号: GT030048 包装方式: 吊卡+PE袋 Product name: Ball bearing set (682XZZ) 配件名称: 滚珠轴承组(682XZZ)</p> <p>适用机型: S1</p>  <p>Φ2.5*Φ6*2.6 =4PCS</p>
--	--	--	--


<p>Model: GT030049 Package: Hang tag +BOX 配件编号: GT030049 包装方式: 吊卡+包装盒 Product name: EPP packaging box 配件名称: EPP包装盒</p> <p>适用机型: S1</p> 	<p>Model: GT030050 Package: Hang tag +BOX 配件编号: GT030050 包装方式: 吊卡+包装盒 Product name: RTF EPP packaging box 配件名称: RTF EPP包装盒</p> <p>适用机型: S1(RTF)</p> 	<p>Model: GT030052 Package: Hang tag +PE bag 配件编号: GT030052 包装方式: 吊卡+PE袋 Product name: Main Blade Holder for Storage 配件名称: 主翼支架组</p> <p>单品1PCS 适用机型: S1</p> 	<p>Model: GT030053 Package: Hang tag +ESD bag 配件编号: GT030053 包装方式: 吊卡+防静电袋 Product name: Charger 配件名称: 充电器</p> <p>支持2-3S 锂电池</p> 
---	--	---	---


<p>Model: GT000014 Package: Hang tag +PE bag 配件编号: GT000014 包装方式: 吊卡+PE袋 Product name: Servo swing arm 配件名称: 舵机摆臂</p> <p>单品10PCS 适用机型: S2 S1</p> 	<p>Model: GT000048 Package: Hang tag +ESD bag 配件编号: GT000048 包装方式: 吊卡+防静电袋 Product name: APP Bluetooth Module 配件名称: 蓝牙模块</p> <p>适用机型: S1 S2 RS4</p> 	<p>Model: GT000063 Package: Hang tag +PE bag 配件编号: GT000063 包装方式: 吊卡+PE袋 Product name: Ball bearing set (MR63ZZ) 配件名称: 滚珠轴承组(MR63ZZ)</p> <p>适用机型: S1 S2</p>  <p>Ø3*Ø6*2.5=4PCS</p>	<p>Model: GT000066 Package: Hang tag +BOX 配件编号: GT000066 包装方式: 吊卡+包装盒 Product name: Transmitter-MODE1 配件名称: 遥控器-右手油门</p> <p>适用机型: S1 S2</p> 
--	--	---	--

<p>Model: GT000067 Package: Hang tag +BOX 配件编号: GT000067 包装方式: 吊卡+包装盒 Product name: Transmitter-MODE2 配件名称: 遥控器-左手油门</p> <p>适用机型: S1 S2</p> 	<p>Model: GT000070 Package: bar code +White box 配件编号: GT000070 包装方式: 条形码+白盒 Product name: T8 remote control battery 配件名称: T8遥控器电池</p> <p>单品1PCS 适用机型: T8遥控器</p> 	<p>Model: GT000072 Package: Hang tag +PE bag 配件编号: GT000072 包装方式: 吊卡+PE袋 Product name: External connection line of SBUS receiver 配件名称: SBUS 接收机外接连接线</p> <p>单品5PCS 适用机型: S1 S2 RS4</p>  <p>1.25 50±2 Ø0.8</p>	<p>Model: GT000073 Package: Hang tag +PE bag 配件编号: GT000073 包装方式: 吊卡+PE袋 Product name: DSMx receiver external connection cable 配件名称: DSMX 接收机外接连接线</p> <p>单品5PCS 适用机型: S1 S2 RS4</p>  <p>1.5 110±2 Ø0.8</p>
--	--	--	---



Model: GT020107	Package: Hang tag +PE bag
配件编号: GT020107	包装方式: 吊卡+PE袋
Product name: Screw set - M1.6X4	
配件名称: 螺丝组	
单品10PCS	适用机型: S1 S2 RS4
圆柱头内六角机械牙螺丝M1.6X4	
	







- (Product Model)产品型号: T8
- (Dimensions)外形尺寸长: L153*W93*H154
- (Radio Frequency)无线频率: 2.404GHz--2.4475 GHz
- (Transmit Power)发射功率: < 20 dBm
- (Weight)重量约: 335g
- (Modulation Mode)调制方式: 2FSK
- (Spread Spectrum Mode)扩频方式: FHSS
- (Working Voltage)工作电压: 3.7V
- (Remote Distance)遥控距离: 300m
- (Charge Interface)充电接口: TYPE-C
- (Low Voltage Alarm)低电压报警: 3.35V
- (Battery Type)电池类型: Lithium Polyer Battery
- (Battery Capacity)电池容规格: 2800mAh 3.7V
- (Coach Interface)音频接口: PPM输出



GOOSKY

Guangdong Goosky Technology Innovation Co., Ltd.
www.goo-sky.com

© 2023