



Revo (Model 53097-3) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Air Filters

- 5262 Air filter and pre-filter inserts, foam (high-volume) (3) (pre-oiled, assembled) (TRX 2.5, 2.5R, 3.3)
- 5266 Air filter body (high-volume)/ filter support/ cap/ foam filter, pre-filter/ air filter base (angled)/wire mount/hardware (1 each) (TRX® 2.5, 2.5R, 3.3)
- 5263 Oil, air filter

Bearings & Bushings

- 4609 Ball bearings (5x10x4mm) (2) (metal shielded, for clutch bell)
- 4611 Ball bearings (5x11x4mm) (2) (metal shielded, for clutch bell)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5115 Ball bearings, blue rubber sealed (5x10x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5180 Ball bearings, blue rubber sealed (6x13x5mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 5121 Bearing, needle roller (6x10x8mm) (2)
- 2545 Bushings (plastic) (5x8x2.5mm) (4)

Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool**
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body clips (12) (standard size)
- 3934 Body clips, heavy duty (12)
- 5314 Body mounts, front & rear/ body mount posts, front & rear/ 2.5x18mm screw pins (4)/ 4x10mm BCS (1)
- 4915 Body washers, foam adhesive (10)
- 5320 Body, Revo® (Platinum Edition) (clear, requires painting)/decalsheet**
- 5387 Body, Revo® 3.3 (clear, requires painting)/ window, lights, grille decal sheet
- 5387X Body, Revo® 3.3, ProGraphix® (replacement for painted body. Graphics are printed, requires paint & final color application)/decalsheet
- 2514 Decal sheet, racing sponsors**
- 5313R Decal sheets, Revo® 3.3
- 9950 Official Team Traxxas® racing decal set (flag logo/ 6-color)**
- 5413 Wing mount, center / wing washers (for Revo®)**
- 5411 Wing mount, Revo® (complete minus wing, part #5412 or other)**
- 5446 Wing, Revo® (black)/ decal sheet**
- 5446G Wing, Revo® (Exo-Carbon finish)/ decal sheet**
- 5412 Wing, Revo® (white)/ decal sheet**

Brake Components

- 5388 Brake cam (1) sleeve (1)
- 5364 Brake disc (40mm steel)
- 5364X Brake disc (high performance, vented)**
- 5565X Brake disc hub (for Revo® rear brake kit)/ 2mm pin (1)/ brake pads (3)**
- 5417 Brake kit, rear (dual-disc Revo®) (Requires center differential part 5414 and gearbox housing 5391X)**
- 5365 Brake pad set (inner and outer calipers with bonded friction material)
- 5418 Linkage set, rear brake (Revo®) (Includes: brake lever/ rod (wire)/ brake spring/ brake adjustment dial/ rod guide bushing/ screw collar)**
- 5368 Linkage set, throttle & brake, Revo®/Slayer (includes servo horns, rod guides, brake spring, brake adjustment dial, brake lever, rods (wires), bellcrank, throttle return spring, hardware)
- 4978 Screws, 3x21mm button-head machine (hex drive) (partially threaded, Revo brake bolts) (6)
- 5457 Yoke, brake (1)/ torque pins (2)/ 4x15mm screw pin

Bumpers & Skidplates

- 5335A Bumper, front (chrome)/ bumper mount, front/ 4x10mm BCS (2)/ 3x25mm BCS (2)
- 5336A Bumper, rear (chrome)/ bumper mount, rear/ 4x10mm BCS (2)/ 3x25mm BCS (2)
- 5335X Bumpers, front and rear (black chrome)**
- 5315 Guards, steering servo (2)
- 5316 Roll hoop, plastic/ transmission skid guard, plastic
- 5337 Skid plate set, front (2 pieces, plastic)/ skid plate, rear (1 piece, plastic)
- 5185 Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
- 4974 Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
- 5473 Wheelie bar mount (1)(fits 1/10 scale Revo trucks)**

- 5472 Wheelie bar, assembled (fits all 1/10th scale Revo trucks)**
- 4976 Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)**
- 5186A Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 5186 Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

Chassis & Attachments

- 5314 Body mounts, front & rear/ body mount posts, front & rear/ 2.5x18mm screw pins (4)/ 4x10mm BCS (1)
- 5324X Box, receiver & battery (2)/ cover/ foam pad & adhesive/ charge jack plug (rubber)/ 4x8mm BCS (1)/ 4x12mm BCS (2) (contains both boxes to accommodate either AA battery holder or RX flat pack)**
- 5323 Bulkhead tie bars, front & rear (blue-anodized aluminum)
- 5323R Bulkhead tie bars, front & rear (red-anodized aluminum)**
- 5330 Bulkhead, front (L&R halves)/ diff retainer/ 4x14mm BCS (4)
- 5329 Bulkhead, rear (L&R halves)/ diff retainer, rear/ 4x14mm BCS (2)
- 5361 Chassis brace, Revo® (3mm 6061-T6 aluminum) (blue-anodized)/ 4x16mm BCS
- 5322X Chassis, Revo® 3.3 (extended 30mm) (3mm 6061-T6 aluminum) (anodized blue)
- 5326X Cover plate, steering servo/ 3x8 BCS (4)
- 5157 Cover plates and seals, forward only conversion (Revo®) (Optidrive® blank-out plate, Optidrive® sensor cover, shift fork cover)
- 5325X Electronics box, left/ box cover
- 5324 Electronics box, right/ box cover/ charge jack plug (rubber)/ foam padding and adhesive (use with OptiDrive electronic shift module)
- 5315 Guards, steering servo (2)
- 5325R Servo mount, throttle/ 4x10mm BCS (2)**
- 5326 Servo mounts, steering (2)
- 5317 Shock mounts (front & rear)/ wire clip (1)/ chassis wire clips (4)/ 3x32mm CS (4)/ 3x6mm BCS (1)
- 5337 Skid plate set, front (2 pieces, plastic)/ skid plate, rear (1 piece, plastic)
- 5185 Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
- 4974 Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
- 5473 Wheelie bar mount (1)(fits 1/10 scale Revo trucks)**
- 5472 Wheelie bar, assembled (fits all 1/10th scale Revo trucks)**
- 4976 Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)**
- 5186A Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 5186 Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

Clutch & Related Parts

- 4609 Ball bearings (5x10x4mm) (2)
- 4611 Ball bearings (5x11x4mm) (2)
- 5214 Clutch bell (14-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x10x4mm ball bearings part #4609) (1.0 metric pitch)
- 5215 Clutch bell (15-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x11x4mm ball bearings part #4611) (1.0 metric pitch)**
- 5216 Clutch bell (16-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x11x4mm ball bearings part #4611) (1.0 metric pitch)**
- 5217 Clutch bell (17-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x11x4mm ball bearings part #4611) (1.0 metric pitch)**
- 4146X Clutch shoes (2)/ spring (T-Maxx®/Revo®/Jato®/Nitro 4-Tec®)
- 3281 Cone, split beveled
- 1633 E-clips/ C-rings
- 6542X Flywheel (large, knurled for use with starter boxes)**
- 4142 Flywheel (N. Rustler®/Sport®/Stampede®/T-Maxx®/Revo®/Jato®)
- 5244 Flywheel nut (TRX® 2.5, 2.5R, 3.3)
- 6542 Flywheel with magnet (35mm)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Differential Components

- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 5417 Brake kit, rear (dual-disc Revo®) (Requires center differential part 5414 and gearbox housing 5391X)**
- 5381 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
- 5414 Differential kit, center (complete for Revo®) (assembled with 100K oil) Requires forward-only conversion (Included)**
- 5136X Differential oil kit (1 each: 10K, 30K, 50K weights)**
- 5382X Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft/ diff carrier support)
- 5414X Gear, center differential (Revo®)/ X-ring seals (2)/ gasket (1) (Replacement gear for 5414)**

Page 2 Revo: TRX 3.3, TQi 2.4GHz Radio System, Traxxas Link Wireless Module, & TSM (Model 53097-3) Parts List

- 5416 Gear, differential output (Revo® center diff, front or rear without rear brake kit (5417))
- 5415 Gear, differential output (Revo® center diff, rear with rear brake kit (5417))
- 5380 Housings, differential (front & rear) (1)
- 5130 Oil, differential (100K wt) (0.7 oz (20cc))
- 5135 Oil, differential (10K wt)
- 5136 Oil, differential (30K wt)
- 5039 Oil, differential (500K wt)
- 5137 Oil, differential (50K wt)
- 5379X Ring gear, differential/ pinion gear, differential
- 5379R Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)
- 5381X Spool, differential (eliminates differential. Use off-road only) (requires #5379X ring gear)

- 5270R EZ-Start® 2, complete system with controller, drive unit, wiring harness
- 3980 Glow plug wrench (universal wrench)
- 3232X Glow plug, super-duty (long-medium)/gasket
- 5228 Head protector, cooling head (1)/3x6mm CCS (5) (TRX® 3.3)
- 5290 Piston/sleeve (matched set), wrist pin clips (2) (TRX® 3.3)
- 5211R Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5, 2.5R, 3.3)
- 5277 Shaft, starter (TRX® 2.5, 2.5R, 3.3)
- 5170 Starter, recoil (complete with screws) (TRX 2.5, 2.5R, 3.3)

Driveline Components

- 5334R Axle carriers, left & right (1 each) (use with larger 6x13mm ball bearings)/ bearing adapters (for 6x12mm ball bearings) (2)/ dust boot retainers (4)
- 5459 Boots, driveshaft (rubber) (2)
- 5153R Drive cups, inner (2) Revo® (steel constant-velocity driveshafts)/screw pin, M4/15 (2) (for use only with 5333R adjustable wheelbase rear suspension arms)
- 5153 Drive cups, inner (2) Revo®/ E-Revo® (first generation)/ T-Maxx®/ E-Maxx (steel constant-velocity driveshafts)/ screw pin, M4/15 (2)
- 5451X Driveshaft assembly (1), left or right (fully assembled, ready to install)/ 4x15mm screw pin (1)
- 5154 Driveshaft, steel constant-velocity, Revo®/E-Revo® (first generation)/T-Maxx®/E-Maxx (shaft only, 128.5mm)/ drive cup pin (1)
- 5451R Driveshafts, Revo®/ E-Revo® (first generation)/ T-Maxx®/ E-Maxx (steel constant-velocity) (assembled w/inner & outer dust boots) (for models w/ 6mm axles) (4)
- 5150 E-clips, 1.5mm (24)
- 5450 Half shaft set, left or right (plastic parts only) (internal splined half shaft/ external splined half shaft/ rubber boot) (assembled with glued boot) (2 assemblies)
- 5455 Half shafts, center front (internal splined (1)/ external splined (1)/ center rear (internal splined (1)/ external splined (1)) (plastic parts only)
- 5456 Half shafts, center front (Revo 3.3) (internal splined (1)/ external splined (1)/ center rear (internal splined (1)/ external splined (1)) (plastic parts only)
- 4955 Pins, axle (2.5x12mm) (4)
- 5129 Rebuild kit (for Revo®/E-Revo® (first generation)/T-Maxx®/E-Maxx steel constant-velocity driveshafts) (includes pins, dustboots, & lube for 2 driveshafts assemblies)
- 5145 Screw pin, 4x15mm (6)
- 5189 Screw pins, 4x13mm (with threadlock) (4)
- 5454 Stub axle (steel) (2)
- 5166 Stub axle, (1)/ axle sleeve (1) Revo®/T-Maxx®/E-Maxx (steel constant-velocity driveshaft)
- 5452 U-joints, driveshaft (carrier (4)/ 4.5mm cross pin (4)/ 3mm cross pin (4)/ e-clips (20)) (metal parts for 2 driveshafts)
- 5353X Wheel hubs, splined, 17mm (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
- 5353G Wheel hubs, splined, 17mm (green-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
- 5353R Wheel hubs, splined, 17mm (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
- 5353 Wheel nuts, splined, 17mm (blue-anodized) (4)
- 5353A Wheel nuts, splined, 17mm (green-anodized) (4)
- 5457 Yoke, brake (1)/ torque pins (2)/ 4x15mm screw pin
- 5458X Yokes, differential and transmission (2)/ 4x15mm screw pins (2)
- 5453 Yokes, stub axle (2)/ pins (2)

Exhaust

- 3155 Cable ties, medium (black) (6)
- 5346 Hanger, metal wire (for tuned pipe)/ 4mm GS (1)/ 4x10 BCS (1)
- 5254 Header spring/ gaskets (TRX® 2.5, 2.5R, 3.3)
- 5340 Header, exhaust (tubular aluminum, silver-anodized) (TRX 2.5, 2.5R, 3.3)
- 5340X Header, exhaust (tubular aluminum, silver-anodized)/ spring mount (TRX® 2.5, 2.5R, 3.3)
- 5256 O-ring, header 12.2x1mm (TRX® 2.5, 2.5R, 3.3)
- 5245X Pipe coupler, molded (black)/ exhaust deflector (rubber, black)/ cable ties, long (2)/ cable ties, short (2)
- 5245 Pipe coupler, molded (blue)/ exhaust deflector (rubber, blue)/ cable ties, long (2)/ cable ties, short (2)
- 5142 Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6)
- 5342 Tuned pipe, aluminum, blue-anodized (dual chamber with pressure fitting)/ 4mm GS
- 5493 Tuned pipe, Resonator, R.O.A.R. legal (dual-chamber, enhances mid to high-rpm power) (for Revo® and Slayer with TRX® Racing Engines)
- 5490 Tuned pipe, Resonator, R.O.A.R. legal (single-chamber, enhances low to mid-rpm power) (for Revo® & Slayer with TRX® Racing Engines)

EZ Start 2 & Related parts

- 4579X Connector, wiring harness (EZ-Start® and EZ-Start® 2)
- 5280 Control box (complete) (EZ-Start® 2)
- 5281 Control box battery cover w/ belt clip (EZ-Start® 2)
- 5273 Cush-drive elements (4) (EZ-Start® 2)
- 5270R EZ-Start® 2, complete system with controller, drive unit, wiring harness
- 5276 Gear set (complete) (EZ-Start® 2)
- 5148 Grease, white lithium
- 5275 Housing set (inner, outer)/ 3x12mmBCS (5)/ 3x20BCS (1)/ motor bushing (EZ-Start® 2)
- 4581X Lead wire, glow plug (blue) (EZ-Start® and EZ-Start® 2)/ molex pin extractor (use where glow plug wire does not have bullet connector)
- 5279 Motor/ pinion gear/ motor bushing (EZ-Start® 2)
- 5211R Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5, 2.5R, 3.3)
- 5169 Screws, 2.6x8mm countersunk machine (6)
- 5282 Screws, 3x12mm button-head machine (6) (starter attachment screws with threadlock)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 5277 Shaft, starter (TRX® 2.5, 2.5R, 3.3)
- 5317 Wire clips, chassis (4)/ wire clip (1)/ Shock mounts (front & Rear)/ 3x32mm CS (4)

Front Suspension

- 5334R Axle carriers, left & right (1 each) (use with larger 6x13mm ball bearings)/ bearing adapters (for 6x12mm ball bearings) (2)/ dust boot retainers (4)
- 5323 Bulkhead tie bars, front & rear (blue-anodized aluminum)
- 5323R Bulkhead tie bars, front & rear (red-anodized aluminum)
- 5330 Bulkhead, front (L&R halves)/ diff retainer/ 4x14mm BCS (4)
- 5134 Caster spacers (4)/ shims (4)
- 5339 Insert, threaded steel (replacement inserts for TUBES) (includes (1) left and (1) right threaded insert)
- 5495 Linkage, front sway bar (Revo®/Slayer) (3x70mm turnbuckle) (2) (assembled with rod ends, hollow balls and ball stud)
- 5378X Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
- 4933 Pivot balls (4)/ pivot ball cap bushings (4)
- 4933X Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)
- 5319X Push rod (aluminum) (assembled with rod ends) (2) (red) (use with #5359 progressive 3 rockers)
- 5318X Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
- 5319 Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive 3 rockers)
- 5318 Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)

Engine & Servo Mounts

- 5360X Big block Installation kit (engine mount and required hardware)
- 5361 Chassis brace, Revo® (3mm 6061-T6 aluminum) (blue-anodized)/ 4x16mm BCS
- 5360 Engine mount (complete assembly)/ 3x28mm CS with washers (2)/ 3x10 CS with washers (10)
- 3159 Screws, 3x10mm cap-head machine (hex drive) (6)/ lock washers (6)/ hex wrench
- 5325R Servo mount, throttle/ 4x10mm BCS (2)
- 5326 Servo mounts, steering (2)

Engine Components

- 5238R Cooling head, PowerTune (machined aluminum, blue-anodized) (TRX® 3.3), head protector (1), 3x6mm CCS (5)

Page 3 Revo: TRX 3.3, TQi 2.4GHz Radio System, Traxxas Link Wireless Module, & TSM (Model 53097-3) Parts List

5354X	Rocker arm post (aluminum) (4)
5354	Rocker arm post (steel) (2)
5356	Rocker arm set, long travel (120-T) (use with #5318 or #5318X pushrod)
5357	Rocker arm set, progressive-1 (90-T) (use with #5318 or #5318X pushrod)
5358	Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8)
5359	Rocker arm set, progressive-3 (90-T) (requires pushrods part #5319 or 5319X)
5189	Screw pins, 4x13mm (with threadlock) (4)
5133A	Spacer, pushrod (aluminum, blue) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)
5133	Spacer, pushrod (aluminum, red) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)
5332	Suspension arm upper (1)/ suspension arm lower (1) (left front)
5331	Suspension arms upper (1)/ suspension arm lower (1) (right front)
5321	Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)
5498	Sway bar kit, Revo® (front and rear) (includes thick and thin sway bars and adjustable linkage) (requires part #5411 to install rear bumper)
5496	Sway bar mounts (front & rear) (Revo®) / sway bar wires (front & rear) (4) / drill guide / spacers
5338	Toe link, 5.0mm steel (front or rear) (2)
5338A	Toe links, Revo® (TUBES 7075-T6 aluminum, black) (128mm, fits front or rear) (2) / rod ends, rear (4) / rod ends, front (4) / wrench (1)
5338R	Toe links, Revo® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2) / rod ends, rear (4) / rod ends, front (4) / aluminum wrench (1)

Fuel Tank & Line

3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)
3147X	Fuel line (610mm or 2ft)
5363X	Fuel tank, 150cc (complete)
3149A	Heat shield tubing, fiberglass (2) (black)
5362	O-ring, fuel tank cap (Revo®) (2)
5367	Pull ring, fuel tank cap (1) / engine shut-off clamp (1)
5376	Rebuild kit, fuel tank (includes: mounting post, grommets (2), tank guard, mounting clips (2), cap o-ring, cap o-ring retainer, cap pull ring, spring, hardware)

Fuel, Lubricants & Supplies

5001	Bottle, fuel filler (500cc)
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)
3232X	Glow plug, super-duty (long-medium)/gasket
5148	Grease, white lithium
5263	Oil, air filter
5130	Oil, differential (100K wt) (0.7 oz (20cc))
5135	Oil, differential (10K wt)
5136	Oil, differential (30K wt)
5039	Oil, differential (500K wt)
5137	Oil, differential (50K wt)
5001R	Rebuild kit, fuel filler bottle (includes bottle lid (1) and dispensing tube caps, rubber (2) (fits 8mm or 5/16" dispensing tube))
5070	Top Fuel®, 20% nitro (gallon)
5020	Top Fuel®, 20% nitro (quart)
5080	Top Fuel®, 33% nitro (gallon)
5030	Top Fuel®, 33% nitro (quart)

Hardware

3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)
1834	Body clips (12) (standard size)
3934	Body clips, heavy duty (12)
3182	Collars, screw (2) / set screws, 3mm (2)
5150	E-clips, 1.5mm (24)
5477	Flat wrench, 5mm (blue-anodized aluminum)
5478	Flat wrench, 8mm (blue-anodized aluminum)
3980	Glow plug wrench (universal wrench)
2586	Head screws, 3x15mm cap-head machine (hex drive) (6) (TRX 2.5)
5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball
5475	Multi-tool (plastic)
5158	Nuts, 2.5mm nylon locking (12)
2745	Nuts, 3mm nylon locking (12)
4147	Nuts, 5mm nylon locking (8)
3982	PTFE-coated 6x8x0.5 (10)
4987	Rings, retainer (snap rings) (14mm) (2)
5144	Screw pin, 2.5x18mm (6)
5145	Screw pin, 4x15mm (6)
5189	Screw pins, 4x13mm (with threadlock) (4)
3236	Screws, 2.5x12mm cap-head machine (6)

3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
5169	Screws, 2.6x8mm countersunk machine (6)
2674	Screws, 2x6mm roundhead self-tapping (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2587	Screws, 3x10mm cap-head machine (6) (no washer)
3159	Screws, 3x10mm cap-head machine (hex drive) (6) / lock washers (6) / hex wrench
2551	Screws, 3x10mm countersunk machine (6) (hex drive)
5282	Screws, 3x12mm button-head machine (6) (starter attachment screws with threadlock)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
5142	Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6)
2553	Screws, 3x15mm countersunk machine (6) (hex drive)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
4978	Screws, 3x21mm button-head machine (hex drive) (partially threaded, Revo brake bolts) (6)
2581	Screws, 3x25mm button-head machine (hex drive) (6)
3963	Screws, 3x28mm cap-head machine (hex drive) (6) / 3x6mm ELW (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
3964	Screws, 3x32mm cap-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3936	Screws, 4x10mm button-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
3938	Screws, 4x14mm button-head machine (hex drive) (6)
3933	Screws, 4x16mm button-head machine (hex drive) (6)
3940	Screws, 4x4mm button-head machine, aluminum (blue) (hex drive) (6)
3939	Screws, 4x6mm button-head machine (hex drive) (with threadlock) (6)
4897	Screws, set (grub) 4mm (6) (with threadlock)
2743	Set (grub) screws, 3mm hardened (12)
3966	Shoulder screws, 3x10mm (6) (with threadlock)
5133	Spacer, pushrod (aluminum, red) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)
5353X	Wheel hubs, splined, 17mm (blue-anodized) (4) / wheel nuts, splined, 17mm (blue-anodized) (4) / screw pins, 4x13mm (with threadlock) (4)
5353R	Wheel hubs, splined, 17mm (red-anodized) (4) / wheel nuts, splined, 17mm (red-anodized) (4) / screw pins, 4x13mm (with threadlock) (4)
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X	Wheel wrench, splined, 17mm

Radio System, Batteries & Chargers

3028	Adapter, Molex to Traxxas® receiver battery pack (for charging) (1)
5526	Antenna crimp nut, aluminum (blue-anodized) / antenna nut tools
5526R	Antenna crimp nut, aluminum (red-anodized) / antenna nut tools
1726	Antenna, tube (1) / vinyl antenna cap (1) / wire retainer (1)
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2914	Battery, Power Cell AA Alkaline (4)
2919	Battery, Series 1 Power Cell 1800mAh (NiMH, 6-C flat, 7.2V, Sub-C)
2734	Cable ties (small) (10)
2977	Charger, DC, 2 amp (Molex) (5 - 6 cell, 6.0 - 7.2 volt, NiMH)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)
6556	Mount, telemetry expander (fits XO-1®, E-Revo®, Summit®, all T-Maxx®/E-Maxx® trucks, Revo® 3.3, Slayer Pro 4X4) (*requires rear chassis brace #5632)
6536	Mounts, RPM sensor (nitro engines) / 3x10mm CS with split and flat washers (2)
3029	Plug Adapter (For TRX® Power Charger to charge 7.2V Packs)
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6520	Sensor, RPM (long) / 3x4mm BCS (2) / 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2053	Servo gears (for 2055, 2056 servos)

- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2070 Servo, digital high-torque (ball bearing)
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2056 Servo, high-torque, waterproof (blue case)
- 6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system
- 6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
- 6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
- 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
- 6529 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
- 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
- 6511 Traxxas Link™ Wireless Module
- 3035 Wiring harness for RX Power Pack, Revo® (includes on/off switch and charge jack)

Ready-To-Race Model

- 53097-3 Revo® 3.3: 1/10 Scale 4WD Nitro-Powered Monster Truck (with Telemetry Sensors) with TQi 2.4GHz Radio System, Traxxas Link™ Wireless Module, and Traxxas Stability Management (TSM)®

Rear Suspension

- 5334R Axle carriers, left & right (1 each) (use with larger 6x13mm ball bearings)/ bearing adapters (for 6x12mm ball bearings) (2)/ dust boot retainers (4)
- 5323 Bulkhead tie bars, front & rear (blue-anodized aluminum)
- 5323R Bulkhead tie bars, front & rear (red-anodized aluminum)
- 5329 Bulkhead, rear (L&R halves)/ diff retainer, rear/ 4x14mm BCS (2)
- 5134 Caster spacers (4)/ shims (4)
- 5339 Insert, threaded steel (replacement inserts for TUBES) (includes (1) left and (1) right threaded insert)
- 5497 Linkage, rear sway bar (Revo®/Slayer) (3x50mm turnbuckle) (2) (assembled with rod ends, hollow balls and ball stud)
- 5378X Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
- 4933 Pivot balls (4)/ pivot ball cap bushings (4)
- 4933X Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)
- 5319X Push rod (aluminum) (assembled with rod ends) (2) (red) (use with #5359 progressive 3 rockers)
- 5318X Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
- 5319 Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive 3 rockers)
- 5318 Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
- 5354X Rocker arm post (aluminum) (4)
- 5354 Rocker arm post (steel) (2)
- 5356 Rocker arm set, long travel (120-T) (use with #5318 or #5318X pushrod)
- 5357 Rocker arm set, progressive-1 (90-T) (use with #5318 or #5318X pushrod)
- 5358 Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8)
- 5359 Rocker arm set, progressive-3 (90-T) (requires pushrods part #5319 or 5319X)
- 5348 Rod ends, Revo® (large, for rear toe link only) (4)
- 5189 Screw pins, 4x13mm (with threadlock) (4)
- 5133 Spacer, pushrod (aluminum, red) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)
- 5333R Suspension arm set, adjustable wheelbase (lengthens wheelbase 10mm or 19mm) (suspension arm upper (2)/ suspension arm lower (2)/ bumper mount spacers (2)/ 4x16BCS (2))
- 5333 Suspension arm upper (1)/ suspension arm lower (1) (rear, left or right)
- 5328 Suspension arms, adjustable wheelbase left side (upper arm (1)/ lower arm (1))
- 5327 Suspension arms, adjustable wheelbase right side (upper arm (1)/ lower arm (1))
- 5321 Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2))
- 5498 Sway bar kit, Revo® (front and rear) (includes thick and thin sway bars and adjustable linkage) (requires part #5411 to install rear bumper)
- 5496 Sway bar mounts (front & rear) (Revo®)/ sway bar wires (front & rear) (4)/ drill guide/ spacers
- 5338A Toe links, Revo® (TUBES 7075-T6 aluminum, black) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)

- 5338R Toe links, Revo® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)

Recoil Starter

- 5277 Shaft, starter (TRX® 2.5, 2.5R, 3.3)
- 5170 Starter, recoil (complete with screws) (TRX 2.5, 2.5R, 3.3)

Shock Oil

- 5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
- 5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
- 5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
- 5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
- 5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
- 5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
- 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
- 5029 Shock oil bottle (60cc) (for mixing shock oil)
- 5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
- 1667 Silicone shock oil (30 wt), 60cc
- 5038 Spinning carousel rack

Shocks (GTR)

- 5466R Bodies, GTR shock (hard-anodized, PTFE-coated aluminum) (4), with TiN shafts (4) (bodies and shafts only)
- 5466 Body, GTR shock (aluminum) (1)
- 5467A Body, GTR shock (aluminum, blue-anodized) (1)
- 5467R Body, GTR shock (aluminum, red-anodized) (1)
- 5466X Body, GTR shock (hard-anodized, PTFE-coated aluminum) (1)
- 5465 Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (2)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
- 5475 Multi-tool (plastic)
- 5158 Nuts, 2.5mm nylon locking (12)
- 5462 Rebuild kit, GTR shock (x-rings, bump stops, bladders, all pistons, piston nuts, shock rod ends) renews 2 shocks
- 5469 Rod ends (GTR shocks) (6)
- 5463 Shaft, GTR shock (2) (stainless)
- 5463T Shaft, GTR shock, TiN-coated (2)
- 5460 Shocks, GTR aluminum (assembled) (2) (without springs)
- 5460A Shocks, GTR aluminum, blue-anodized (fully assembled w/o springs) (4)
- 5460R Shocks, GTR aluminum, red-anodized (fully assembled w/o springs) (4)
- 5460X Shocks, GTR hard-anodized, PTFE-coated aluminum bodies with TiN shafts (fully assembled w/o springs) (4)
- 5461 Variable damping kit, GTR shocks (includes #1, #2, #3 pistons and stainless steel valves)

Slipper Clutch Components

- 5478 Flat wrench, 8mm (blue-anodized aluminum)
- 5366 Input shaft, transmission (slipper shaft)
- 5352R Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
- 5352X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 5351 Slipper pressure plate and hub (alloy)

Springs

- 5435 Spring, shock (red) (GTR) (2.6 rate yellow) (1 pair)
- 5436 Spring, shock (red) (GTR) (2.9 rate white) (1 pair)
- 5437 Spring, shock (red) (GTR) (3.2 rate orange) (std. front 90mm) (1 pair)
- 5438 Spring, shock (red) (GTR) (3.5 rate green) (1 pair)
- 5439 Spring, shock (red) (GTR) (3.8 rate gold) (1 pair)
- 5440 Spring, shock (red) (GTR) (4.1 rate tan) (1 pair)
- 5441 Spring, shock (red) (GTR) (4.4 rate black) (1 pair)
- 5442 Spring, shock (red) (GTR) (4.9 rate silver) (std. front 120mm) (1 pair)
- 5444 Spring, shock (red) (GTR) (5.9 rate blue) (std. rear 120mm) (1 pair)
- 5445 Spring, shock (red) (GTR) (6.4 rate purple) (1 pair)
- 5443 Spring, shock red (GTR) (5.4 rate pink) (1 pair)

Spur Gears & Clutch Belts

- 5214 Clutch bell (14-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x10x4mm ball bearings part #4609) (1.0 metric pitch)
- 5215 Clutch bell (15-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x11x4mm ball bearings part #4611) (1.0 metric pitch)
- 5216 Clutch bell (16-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x11x4mm ball bearings part #4611) (1.0 metric pitch)
- 5217 Clutch bell (17-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x11x4mm ball bearings part #4611) (1.0 metric pitch)
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 3953 Spur gear, 36-tooth (1.0 metric pitch)
- 3954 Spur gear, 38-tooth (1.0 metric pitch)

3955	Spur gear, 40-tooth (1.0 metric pitch)
Steering Components	
2072A	Gear set (for 2070, 2075 servos)
5355X	Hollow ball set, aluminum (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5341	Linkage, steering (Revo® 3.3) (3x50mm Turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
5343X	Mount, steering arm/ steering stops (2) (lower hinge pin retainer) (includes standard and maximum throw steering stops)
5469	Rod ends (GTR shocks) (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
5349	Rod ends, small, with hollow balls (6) (for Revo® steering linkage)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
5345X	Servo horns, steering and throttle (for non-Traxxas® servos (Hitec, JR, KO, Airtronics))
5345R	Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
5344X	Servo saver spring, heavy duty (for use with metal-gear servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2070	Servo, digital high-torque (ball bearing)
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2056	Servo, high-torque, waterproof (blue case)
5338	Toe link, 5.0mm steel (front or rear) (2)
5338A	Toe links, Revo® (TUBES 7075-T6 aluminum, black) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)
5338R	Toe links, Revo® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)

Suspension Linkage	
5355X	Hollow ball set, aluminum (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5339	Insert, threaded steel (replacement inserts for TUBES) (includes (1) left and (1) right threaded insert)
5341	Linkage, steering (Revo® 3.3) (3x50mm Turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
5319X	Push rod (aluminum) (assembled with rod ends) (2) (red) (use with #5359 progressive 3 rockers)
5318X	Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5319	Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive 3 rockers)
5318	Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5469	Rod ends (GTR shocks) (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
5348	Rod ends, Revo® (large, for rear toe link only) (4)
5345R	Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
5321	Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)
5338	Toe link, 5.0mm steel (front or rear) (2)
5338A	Toe links, Revo® (TUBES 7075-T6 aluminum, black) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)
5338R	Toe links, Revo® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)

Team Traxxas Items	
2514	Decal sheet, racing sponsors
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Throttle & Brake Linkage	
5388	Brake cam (1)/ sleeve (1)
3182	Collars, screw (2)/ set screws, 3mm (2)
5418	Linkage set, rear brake (Revo®) (Includes: brake lever/ rod (wire)/ brake spring/ brake adjustment dial/ rod guide bushing/ screw collar)
5368	Linkage set, throttle & brake, Revo®/Slayer (includes servo horns, rod guides, brake spring, brake adjustment dial, brake lever, rods (wires), bellcrank, throttle return spring, hardware)
5392	Linkage, shift, Revo® (includes: ball collar, spring, ball cup, servo horn, linkage wire)

5341	Linkage, steering (Revo® 3.3) (3x50mm Turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
5345X	Servo horns, steering and throttle (for non-Traxxas® servos (Hitec, JR, KO, Airtronics))
5345R	Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
3966	Shoulder screws, 3x10mm (6) (with threadlock)
4046	Spring, throttle return (2) (Revo®/Slayer)

Tires & Wheels	
4147X	Nuts, 5mm flanged nylon locking (aluminum, blue-anodized) (4)
5147X	Nuts, 5mm flanged nylon locking (steel, serrated) (8)
4955	Pins, axle (2.5x12mm) (4)
5189	Screw pins, 4x13mm (with threadlock) (4)
3965	Screws, 2.5x8mm cap-head machine (6)
5666	Sidewall protector, beadlock style (blue) (2)/ 2.5x8mm CS (24) (for use with Geode wheels)
5664	Sidewall protector, beadlock style (green) (2)/ 2.5x8mm CS (24) (for use with Geode wheels)
5667	Sidewall protector, beadlock style (red) (2)/ 2.5x8mm CS (24) (for use with Geode wheels)
5665	Sidewall protector, beadlock style (yellow) (2)/ 2.5x8mm CS (24) (for use with Geode wheels)
5374X	Tires & wheels, assembled, glued (Gemini black chrome wheels, Talon tires, foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (TSM rated)
5374	Tires & wheels, assembled, glued (Gemini chrome wheels, Talon tires, foam inserts) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)
5674	Tires & wheels, assembled, glued (Geode chrome wheels, Maxx® tires (6.3" outer diameter), foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X & beadlock-style sidewall protectors, part #5665, 5666, 5667)
5672	Tires & wheels, assembled, glued (Geode chrome wheels, paddle tires, foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part # 5353X) (TSM rated)
4973R	Tires & wheels, assembled, glued (Hurricane chrome wheels, Maxx® tires (6.3" outer diameter), foam inserts) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)
5174A	Tires & wheels, assembled, glued (Split-Spoke satin-finish wheels, Talon tires, foam inserts) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)
4983A	Tires & wheels, assembled, glued (SS (Split Spoke) black chrome wheels, Maxx® tires (6.3" outer diameter), foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (fits Revo®/T-Maxx®/E-Maxx) (TSM rated)
5174	Tires & wheels, assembled, glued (SS (Split Spoke) chrome wheels, Talon tires, foam inserts) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)
5174R	Tires & wheels, assembled, glued (SS (Split Spoke) chrome wheels, Talon tires, foam inserts) (2) (use w/17mm splined wheel hubs & nuts, part #5353X)
5375R	Tires & wheels, assembled, glued (white dished 3.8" wheels, Response Pro tires, foam inserts) (2) (use with 17mm splined wheel hubs and wheel nuts, part #5353X)
5670	Tires, Canyon AT 3.8" (2)/ foam inserts (2)
4973	Tires, Maxx® 3.8" (6.3" outer diameter (160mm)) (2) (fits Revo®/T-Maxx®/E-Maxx)
5171	Tires, Maxx® Chevron 3.8" (2) (fits Revo®/T-Maxx®/E-Maxx)
5375	Tires, Response Pro 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)
5471	Tires, Response racing 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)
5470	Tires, SportTraxx racing 3.8" (soft compound, directional and asymmetrical tread design)/ foam inserts (2)
5370	Tires, Talon 3.8" (2)/ foam inserts (2)
4954	Wheel hubs, hex (2)/ axle pins (2.5x12mm) (2)
4954R	Wheel hubs, hex (steel)
4954X	Wheel hubs, hex, 6061-T6 aluminum (blue) (4)/ axle pins (2.5x10mm) (4)
5353X	Wheel hubs, splined, 17mm (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353R	Wheel hubs, splined, 17mm (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X	Wheel wrench, splined, 17mm
5371	Wheels, dished 3.8" (white) (2) (use with 17mm splined wheel hubs and wheel nuts, part #5353X)
5372A	Wheels, Gemini 3.8" (black chrome) (2)
5372X	Wheels, Gemini 3.8" (black chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X)
5372	Wheels, Gemini 3.8" (chrome) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)

Page 6 Revo: TRX 3.3, TQi 2.4GHz Radio System, Traxxas Link Wireless Module, & TSM (Model 53097-3) Parts List

- 5671 Wheels, Geode 3.8" (chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X & beadlock-style sidewall protectors, part #5665, 5666, 5667)
- 5373 Wheels, Hurricane 3.8" (chrome) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)
- 5172A Wheels, SS (split spoke) 3.8" (black chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (fits Revo®/T-Maxx®/E-Maxx)
- 5172X Wheels, SS (Split-Spoke) 3.8" (chrome) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)
- 5172R Wheels, SS (Split-Spoke) 3.8" (chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (fits Revo®/T-Maxx®/E-Maxx)
- 5172 Wheels, SS (Split-Spoke) 3.8" (satin) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)

- 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

Transmission Components

- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5388 Brake cam (1)/ sleeve (1)
- 5157 Cover plates and seals, forward only conversion (Revo®) (Optidrive® blank-out plate, Optidrive® sensor cover, shift fork cover)
- 5414 Differential kit, center (complete for Revo®) (assembled with 100K oil) Requires forward-only conversion (included)
- 5394X Forward only conversion kit (eliminates reverse)
- 5383 Gear set, 2-speed close ratio (2nd speed gear 40T, 13T-16T input gears, hardware)
- 5385 Gear set, 2-speed standard ratio (2nd speed gear 39T, 13T-17T input gears, hardware)
- 5384 Gear set, 2-speed wide ratio (2nd speed gear 38T, 13T-18T input gears, hardware)
- 5386 Gear, 1st speed, 43T
- 5414X Gear, center differential (Revo®)/ X-ring seals (2)/ gasket (1) (Replacement gear for 5414)
- 5416 Gear, differential output (Revo® center diff, front or rear without rear brake kit (5417))
- 5415 Gear, differential output (Revo® center diff, rear with rear brake kit (5417))
- 5377 Gear, idler/ idler gear support/ bearing (pressed in)
- 5391R Gearbox halves (front & rear)/ rubber access plug/ shift detent ball/ spring/ 4mm GS/ shift shaft seal, glued
- 5366 Input shaft, transmission (slipper shaft)
- 5368 Linkage set, throttle & brake, Revo®/Slayer (includes servo horns, rod guides, brake spring, brake adjustment dial, brake lever, rods (wires), bellcrank, throttle return spring, hardware)
- 5392 Linkage, shift, Revo® (includes: ball collar, spring, ball cup, servo horn, linkage wire)
- 5398 Optidrive® electronic shift module
- 5397 Optidrive® sensor assembly/ 2.5x6mm CS (2)
- 5395 Output gears, forward & reverse/ drive dog carrier
- 5369 Output shaft, transmission
- 5390 Primary clutch assembly/ 2x9.8mm pin/ 6x8x0.5 TW (1)
- 5396X Primary gears, forward and reverse/ 2x11.8mm pin/ pin retainer/ disc spring
- 5393 Primary shaft/ 1st speed hub/ one-way bearing/ snap ring/ 5x8mm TW
- 3982 PTFE-coated 6x8x0.5 (10)
- 5352R Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
- 5395X Reverse installation kit (includes all components to add mechanical reverse (no Optidrive®) to Revo®) (includes 2060 sub-micro servo)
- 5389X Shift fork/ shaft
- 5491 Transmission, complete (fits Revo® 3.3)

Turnbuckles & Threaded Rods

- 5477 Flat wrench, 5mm (blue-anodized aluminum)
- 5339 Insert, threaded steel (replacement inserts for TUBES) (includes (1) left and (1) right threaded insert)
- 5341 Linkage, steering (Revo® 3.3) (3x50mm Turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
- 5319X Push rod (aluminum) (assembled with rod ends) (2) (red) (use with #5359 progressive 3 rockers)
- 5318X Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
- 5319 Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive 3 rockers)
- 5318 Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
- 5338 Toe link, 5.0mm steel (front or rear) (2)
- 5338A Toe links, Revo® (TUBES 7075-T6 aluminum, black) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)
- 5338R Toe links, Revo® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)

Two-Speed Components

- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5383 Gear set, 2-speed close ratio (2nd speed gear 40T, 13T-16T input gears, hardware)
- 5385 Gear set, 2-speed standard ratio (2nd speed gear 39T, 13T-17T input gears, hardware)
- 5384 Gear set, 2-speed wide ratio (2nd speed gear 38T, 13T-18T input gears, hardware)
- 5386 Gear, 1st speed, 43T
- 5390 Primary clutch assembly/ 2x9.8mm pin/ 6x8x0.5 TW (1)
- 5396X Primary gears, forward and reverse/ 2x11.8mm pin/ pin retainer/ disc spring
- 5393 Primary shaft/ 1st speed hub/ one-way bearing/ snap ring/ 5x8mm TW

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM

Traxxas Tools

- 3433X Body reamer (aluminum handle)
- 3433 Body reamer (plastic handle)
- 3436 Cap, body reamer
- 3432 Scissors, curved tip
- 3431 Scissors, straight tip
- 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
- 8722 Speed bit handle, premium, medium (rubber overmold)
- 8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),