



# Stampede® 4X4 (Model 67054-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Bearings & Bushings

- 4607 **Ball bearings (5x11x4mm) (8)**
- 4612 **Ball bearings (10x15x4mm) (2)**
- 2728 **Ball bearings (5x8x2.5mm) (2)**
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 **Ball bearings, blue rubber sealed (5x8x2.5mm) (2)**
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

## Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 3935 Body clip (mounting clip), angled, 90-degrees (10)
- 3935A **Body clip (mounting clip), angled, 90-degrees (black) (10)**
- 3934 Body clips, heavy duty (12)
- 1815 Body washers (8)
- 6716 **Body washers, foam, 2mm (4)/ 3mm (4)/ 4mm (4)**
- 3617 **Body, Stampede® (clear, requires painting) (requires #3614 to mount)**
- 6711X **Body, Stampede® 4X4 VXL, ProGraphix® (Graphics are printed, requires paint & final color application)/ decal sheet**
- 6714 **Body, Stampede® 4X4, ProGraphix® (Graphics are printed, requires paint & final color application)/ decal sheet**
- 2514 **Decal sheet, racing sponsors**
- 9950 **Official Team Traxxas® racing decal set (flag logo/ 6-color)**
- 5185 **Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
- 4974 **Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
- 6777 Wheelie bar mounts/ rear skidplate (black)
- 4976 **Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)**
- 5186A **Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 5186 **Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

## Center Driveline

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 6893G **Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)**
- 6893X **Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/ 10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)**
- 6741 Cover, center driveshaft (clear)
- 6877A **Cover, gear (clear)**
- 6877 Cover, gear/ motor wire hold-down clip
- 6814 **Differential kit, center (complete)**
- 6888 Drive hub, center, rear (1)/ 4x3 GS (1)
- 6888X **Drive hub, front, hardened steel (1)/ screw pin (1)**
- 6755 Driveshaft, center, 6061-T6 aluminum (blue-anodized)
- 6755G **Driveshaft, center, 6061-T6 aluminum (green-anodized)**
- 6755R **Driveshaft, center, 6061-T6 aluminum (red-anodized)**
- 6756 Driveshaft, center, plastic (blue)/ screw pin
- 6883 **Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)**
- 5148 Grease, white lithium
- 6884 **Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)**
- 6893 Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1)
- 6890 Plate, motor
- 6890X **Plate, motor, 6061-T6 aluminum (blue-anodized)**
- 5352R **Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))**
- 5352X **Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))**
- 5552X **Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))**
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)

- 1647 Silicone grease
- 6878 Slipper clutch, complete
- 5556 Slipper pressure plate & hub (aluminum alloy)
- 5351 **Slipper pressure plate and hub (alloy)**

## Chassis & Attachments

- 6715 Body mount (1)/ body mount post (2) (front)
- 6815R Body mount (1)/ body mount post (2)/ body post extensions (2) (front or rear)
- 3628 Box, receiver (sealed)/ foam pad/ 2.5x8mm CS (4)/ 3x10mm CS (2)
- 6735 Bumper, front/ skidplate, front (black)
- 6722 Chassis
- 6727 Hold down, battery (2)/ hold down retainer/ battery post/ angled body clip
- 6727X **Hold down, battery/ hold down retainer/ battery post/ angled body clip (allows for installation of taller, multi-cell batteries)**
- 3629 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 5185 **Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
- 4974 **Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
- 6777 Wheelie bar mounts/ rear skidplate (black)
- 4976 **Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)**
- 5186A **Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 5186 **Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

## Differential Components

- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 5381 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
- 6780 **Differential kit, center (complete)**
- 6814 **Differential kit, center (complete)**
- 5136X **Differential oil kit (1 each: 10K, 30K, 50K weights)**
- 6783 **Gear set, center differential (output gears (2)/ spider gears (4)/ spider gear shaft (2))**
- 6882X Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
- 6781 **Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5mm PTFE-coated washers (2)/ 2.5x8 CCS (4)**
- 6881 Housings, differential, front
- 6880 Housings, differential, rear
- 6782 **Output gears, center differential, hardened steel (2)**
- 5379X **Ring gear, differential/ pinion gear, differential**
- 6778 Ring gear, differential/ pinion gear, differential (12/47 ratio) (front)
- 6779 Ring gear, differential/ pinion gear, differential (12/47 ratio) (rear)
- 5379R **Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)**
- 6879R **Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)**
- 6879 **Ring gear, differential/ pinion gear, differential (rear)**
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 1647 Silicone grease

## Driveline Components

- 6455 **Axle carriers, rear, 6061-T6 aluminum, left & right (blue-anodized) (Compatible only when installing #6451 & #6452 steel constant-velocity driveshafts)**
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5117 **Ball bearings, blue rubber sealed (6x12x4mm) (2) (Compatible only when installing #6451 & #6452 steel constant-velocity driveshafts)**
- 9059X **Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)**
- 9057X **Differential output shafts, steel-splined constant-velocity (2)**
- 6828A **Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)**
- 6828X Differential output yokes, heavy duty (2)/ screw pin (2)
- 6851X Driveshaft assembly, front, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
- 6852A **Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)**
- 6852X Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
- 6851R **Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)**
- 9051X **Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)**

**Page 2 Stampede® 4X4: TQ 2.4GHz Radio (Model 67054-1) Parts List**

- 6852R Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
- 9052X Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
- 9055X Half shaft, external splined (steel-spline constant velocity) (1)
- 6750 Half shaft, external splined (steel-spline constant-velocity) (1)
- 9056X Half shaft, internal splined (steel-spline constant velocity) (1)
- 6751 Half shaft, internal splined (steel-spline constant-velocity) (1)
- 6850X Half shafts, heavy duty (external splined (2)/ internal splined (2)/ metal u-joints (4)
- 9058X Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)
- 6757 Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)
- 6439 Steering blocks, 6061-T6 aluminum, left & right (blue-anodized) (Compatible only when installing #6451 & #6452 steel constant-velocity driveshafts)
- 6854A Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
- 6853A Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
- 6754 Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1)
- 9054X Stub axle, front, steel-splined constant velocity (1)
- 6753 Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1)
- 9053X Stub axle, rear, steel-splined constant velocity (1)
- 6854X Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)
- 6853X Stub axles, rear, heavy duty (2)/pins (2)
- 6869 Wheel adaptors, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pins (4)/ drill bit, 0.25 inch (for 6mm shafts) (requires #6451 (x2), #6452 (x2), #6439, #6455, #5117 (x3))
- 1654X Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(4)

**Front Suspension & Steering**

- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
- 6823G Bulkhead tie bars, front & rear, aluminum (green-anodized)
- 6823R Bulkhead tie bars, front & rear, aluminum (red-anodized)
- 3641A Camber link set (plastic / non-adjustable ) ( front & rear) (gray)
- 3641 Camber link set (plastic/ non-adjustable) (front & rear) (black)
- 3643X Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3643G Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3643R Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 6832X Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right
- 6832G Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right
- 6832A Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left & right
- 6832R Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right
- 6832 Caster blocks (c-hubs), left & right
- 6845A Drag link, machined 6061-T6 aluminum (blue-anodized)
- 6845G Drag link, machined 6061-T6 aluminum (green-anodized)
- 6845T Drag link, machined 6061-T6 aluminum (orange-anodized)
- 6845R Drag link, machined 6061-T6 aluminum (red-anodized)
- 6895 Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)
- 6897 Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)
- 6846 Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
- 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
- 6839 Shock tower, front
- 6839X Shock tower, front, 7075-T6 aluminum (blue-anodized)
- 6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
- 6837X Steering blocks, 6061-T6 aluminum (blue-anodized), left & right
- 6837G Steering blocks, 6061-T6 aluminum (green-anodized), left & right

- 6837A Steering blocks, 6061-T6 aluminum (orange-anodized), left & right
- 6837R Steering blocks, 6061-T6 aluminum (red-anodized), left & right
- 6837 Steering blocks, left & right
- 6854A Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
- 6854X Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)
- 6732 Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)/ 3X16mm BCS (8)
- 3655P Suspension arms, blue, front/rear (left & right), heavy duty (2)
- 3655R Suspension arms, front/rear (left & right), heavy duty (2)
- 3655G Suspension arms, green, front/rear (left & right), heavy duty (2)
- 3655X Suspension arms, left & right
- 3655T Suspension arms, orange, front/rear (left & right), heavy duty (2)
- 3655L Suspension arms, red, front/rear (left & right), heavy duty (2)
- 3655A Suspension arms, white, front/rear (left & right), heavy duty (2)
- 6834 Suspension pin set, complete (front and rear)
- 6898 Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)
- 6742X Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 6742G Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 6742R Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 2335 Turnbuckles (72mm) (Tie rods or optional rear camber rods) (2)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 5539 Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)
- 6896 Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)

**Hardware**

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 3642 Attachment screws, shock (3x12mm shoulder screws) (6)
- 1552 Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
- 3935 Body clip (mounting clip), angled, 90-degrees (10)
- 3935A Body clip (mounting clip), angled, 90-degrees (black) (10)
- 3934 Body clips, heavy duty (12)
- 1589 Double-sided adhesive tape (25mm x 25mm) (2)
- 2586 Screws, 3x15mm cap-head machine (hex drive) (6)
- 2745 Nuts, 3mm nylon locking (12)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747 Nuts, 4mm nylon locking (10)
- 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
- 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
- 1747T Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
- 1747P Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
- 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 5525 Rod ends (12)/ hollow balls (12)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 3965 Screws, 2.5x8mm cap-head machine (hex drive) (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 2552 Screws, 3x12mm countersunk machine (6) (hex drive)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 2583 Screws, 3x18mm button-head machine (hex drive) (6)
- 2580 Screws, 3x20mm button-head machine (hex drive) (6)
- 2591 Screws, 3x23mm button-head machine (hex drive) (6)
- 2582 Screws, 3x30mm button-head machine (hex drive) (6)
- 2592 Screws, 3x40mm button-head machine (hex drive) (6)
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 2534 Screws, 3x6mm countersunk machine (6) (hex drive)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 2576 Screws, 3x8mm button-head machine (hex drive) (6)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 3937 Screws, 4x12mm button-head machine (hex drive) (6)
- 2542 Screws, 4x12mm countersunk machine (hex drive) (6)
- 2546 Screws, 4x15mm countersunk machine (hex drive) (6)
- 2743 Set (grub) screws, 3mm hardened (12)
- 3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
- 2754 Stub axle pins (4)
- 2746 Washers, 3x6mm metal (12)

**LED Lights**

6784 LED light bar (chrome, 4 clear lights)

**Motors & Electronics**

- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 2260 BEC assembly (complete)
- 2252 Gear set, metal (for 2250, 2255 servos)
- 6860A Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
- 6860R Motor mount, 6061-T6 aluminum (blue-anodized)
- 3785 Motor, Titan® 12T (12-Turn, 550 size)
- 3351R Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
- 3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
- 2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
- 2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
- 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 3350R Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R))
- 3355R Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
- 3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

**Radio System, Batteries & Chargers**

- 2842X 5000mAh 7.4v 2-Cell 25C LiPo Battery
- 2843X 5800mAh 7.4v 2-Cell 25C LiPo Battery
- 2976 AC to DC converter, 40W
- 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)
- 2943 Battery charge indicators (green (4), blue (4), gray (4))
- 6548 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
- 2914 Battery, Power Cell AA Alkaline (4)
- 2926X Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
- 2941X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
- 2951X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
- 2961X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
- 2984 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH battery (1))
- 2992 Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
- 2260 BEC assembly (complete)
- 2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
- 2972 Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
- 2973 Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
- 2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
- 2970 Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
- 6525 Communication link, telemetry expander
- 2978 Fuse, charger, 5A (2) (for #2974, 2975, 2977)
- 2252 Gear set, metal (for 2250, 2255 servos)
- 2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
- 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
- 6555 Mount, telemetry expander (fits Slash 4X4, Stampede® 4X4, Rally, Jato®)
- 6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
- 6519 Receiver, micro, TQ 2.4GHz (3-channel)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
- 6526 Sensor, auto-detectable, temperature
- 6527 Sensor, auto-detectable, voltage
- 6520 Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
- 6521 Sensor, temperature and voltage (long)
- 2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)

- 2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
- 2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
- 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system
- 6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
- 6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
- 6539 Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3) (for use with #6814 center differential)
- 6538 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
- 6540 Telemetry trigger magnet, 5X2mm (1)
- 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
- 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
- 6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
- 6528 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
- 6529 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
- 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
- 6511 Traxxas Link™ Wireless Module

**Ready-To-Race Model**

67054-1 Stampede® 4X4: 1/10-scale 4WD Monster Truck

**Rear Suspension**

- 6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
- 6823G Bulkhead tie bars, front & rear, aluminum (green-anodized)
- 6823R Bulkhead tie bars, front & rear, aluminum (red-anodized)
- 6829 Bulkhead, rear
- 3641A Camber link set (plastic / non-adjustable) ( front & rear) (gray)
- 3641 Camber link set (plastic/ non-adjustable) (front & rear) (black)
- 3644X Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3644G Camber links, rear (TUBES green-anodized 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3644R Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 1952X Carriers, stub axle (blue-anodized 6061-T6 aluminum) (rear) (2)
- 1952G Carriers, stub axle (green-anodized 6061-T6 aluminum) (rear) (2)
- 1952T Carriers, stub axle (orange-anodized 6061-T6 aluminum) (rear) (2)
- 1952 Carriers, stub axle (rear) (2)
- 1952A Carriers, stub axle (red-anodized 6061-T6 aluminum) (rear) (2)
- 6895 Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)
- 6897 Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)
- 5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
- 6838 Shock tower, rear
- 6838X Shock tower, rear, 7075-T6 aluminum (blue-anodized)
- 6853A Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
- 6853X Stub axles, rear, heavy duty (2)/pins (2)
- 6732 Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)/ 3X16mm BCS (8)
- 3655P Suspension arms, blue, front/rear (left & right), heavy duty (2)
- 3655R Suspension arms, front/rear (left & right), heavy duty (2)
- 3655G Suspension arms, green, front/rear (left & right), heavy duty (2)
- 3655X Suspension arms, left & right
- 3655T Suspension arms, orange, front/rear (left & right), heavy duty (2)
- 3655L Suspension arms, red, front/rear (left & right), heavy duty (2)
- 3655A Suspension arms, white, front/rear (left & right), heavy duty (2)
- 6834 Suspension pin set, complete (front and rear)
- 6898 Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)

**Page 4 Stampede® 4X4: TQ 2.4GHz Radio (Model 67054-1) Parts List**

- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 6896 Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)

**Shock Oil**

- 5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
- 5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
- 5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
- 5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
- 5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
- 5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
- 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
- 5029 Shock oil bottle (60cc) (for mixing shock oil)
- 5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
- 1667 Silicone shock oil (30 wt), 60cc
- 5038 Spinning carousel rack

**Shocks (GTR)**

- 7466X Body, GTR long (hard-anodized, PTFE-coated aluminum) (1)
- 7466 Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
- 7466G Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
- 7466A Body, GTR long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
- 7467X Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1)
- 7467 Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
- 7467G Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
- 7467A Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
- 7468X Caps & spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
- 7468 Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
- 5475 Multi-tool (plastic)
- 5158 Nuts, 2.5mm nylon locking (12)
- 7463 Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)
- 5469 Rod ends (GTR shocks) (6)
- 7464T Shaft, GTR long, TiN-coated (2)
- 7461 Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7461G Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7461X Shocks, GTR long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
- 7462 Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7462G Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7462X Shocks, GTR xx-long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
- 8459 Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)
- 7440 Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)
- 7441 Spring, shock, white (GTR long) (0.653 rate green) (1 pair)
- 7444 Spring, shock, white (GTR long) (0.767 rate black) (1 pair)
- 7445 Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)
- 7448 Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)
- 7442 Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)
- 7443 Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)
- 7446 Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)
- 7447 Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)
- 7449 Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)

**Shocks (Pro-Level Aluminum)**

- 2664 Big Bore shock cylinder (long) (1)
- 2666 Big Bore shock cylinder (XX-long) (1)
- 5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
- 2660 Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
- 2662 Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
- 2362 Rebuild kit, Ultra shocks (for 2 shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2667 Shock caps, aluminum (Big Bore Shocks) (2)

- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
- 6863 Springs, front (progressive, +10% rate, pink) (2)
- 6864 Springs, front (progressive, +20% rate, blue) (2)
- 6862 Springs, front (progressive, -10% rate, green) (2)
- 6861 Springs, front (progressive, -20% rate, orange) (2)
- 6857 Springs, front (white) (progressive rate) (2)
- 5860 Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)
- 6867 Springs, rear (progressive, +10% rate, pink) (2)
- 6868 Springs, rear (progressive, +20% rate, blue) (2)
- 6866 Springs, rear (progressive, -10% rate, green) (2)
- 6865 Springs, rear (progressive, -20% rate, orange) (2)
- 6858 Springs, rear (white) (progressive rate) (2)
- 5859 Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)

**Shocks (Ultra Shocks)**

- 3642 Attachment screws, shock (3x12mm shoulder screws) (6)
- 3765A Body, Ultra Shock(s) (long) (gray) (2)
- 3766A Body, Ultra Shock(s) (XXL) (gray) (2)
- 2362 Rebuild kit, Ultra shocks (for 2 shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3767 Shock caps (2)/ shock bottoms (2)
- 3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
- 3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
- 3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
- 3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
- 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
- 3758 Springs, front (black) (2)
- 3758T Springs, front (blue) (2)
- 3758A Springs, front (green) (2)
- 3758P Springs, front (pink) (2)
- 6863 Springs, front (progressive, +10% rate, pink) (2)
- 6864 Springs, front (progressive, +20% rate, blue) (2)
- 6862 Springs, front (progressive, -10% rate, green) (2)
- 6861 Springs, front (progressive, -20% rate, orange) (2)
- 3758X Springs, front (white) (2)
- 6857 Springs, front (white) (progressive rate) (2)
- 3757 Springs, rear (black) (2)
- 3757T Springs, rear (blue) (2)
- 3757A Springs, rear (green) (2)
- 3757P Springs, rear (pink) (2)
- 6867 Springs, rear (progressive, +10% rate, pink) (2)
- 6868 Springs, rear (progressive, +20% rate, blue) (2)
- 6866 Springs, rear (progressive, -10% rate, green) (2)
- 6865 Springs, rear (progressive, -20% rate, orange) (2)
- 3757X Springs, rear (white) (2)
- 6858 Springs, rear (white) (progressive rate) (2)
- 4957 Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
- 3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
- 3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
- 3760A Ultra Shocks (gray) (long) (complete w/ spring pre-load spacers & springs) (2)
- 3762A Ultra Shocks (gray) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

**Slipper Clutch Components**

- 6893G Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)

**Page 5 Stampede® 4X4: TQ 2.4GHz Radio (Model 67054-1) Parts List**

- 6893X Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)
- 6814 Differential kit, center (complete)
- 6888 Drive hub, center, rear (1)/ 4x3 GS (1)
- 6888X Drive hub, front, hardened steel (1) screw pin (1)
- 6883 Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)
- 6884 Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)
- 6893 Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)
- 5352R Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
- 5352X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 6878 Slipper clutch, complete
- 5556 Slipper pressure plate & hub (aluminum alloy)
- 5351 Slipper pressure plate and hub (alloy)

- 3643G Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3643R Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3644X Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3644G Camber links, rear (TUBES green-anodized 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3644R Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 5525 Rod ends (12)/ hollow balls (12)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
- 6834 Suspension pin set, complete (front and rear)
- 2537 Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
- 2335 Turnbuckles (72mm) (Tie rods or optional rear camber rods) (2)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 5539 Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

**Spur Gears & Pinion Gears**

- 6747 Gear, 11-T pinion (32-p) (steel)/ set screw
- 3942X Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3943X Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3944X Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3945X Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3946X Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3947X Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3948X Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3949X Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3950X Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3951X Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3952X Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 6745 Gear, 9-T pinion (32-p) (steel)/ set screw
- 6842 Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch)
- 6842R Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
- 6843 Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch)
- 6843R Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
- 3956 Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
- 3956R Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (requires #6814 center differential)
- 3956X Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (requires #6780 center differential)

**Steering Components**

- 1552 Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 6846 Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
- 6742X Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 6742G Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 6742R Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 2746 Washers, 3x6mm metal (12)

**Suspension Linkage**

- 3641A Camber link set (plastic / non-adjustable) ( front & rear) (gray)
- 3641 Camber link set (plastic/ non-adjustable) (front & rear) (black)
- 3643X Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)

- Team Traxxas Items**
- 2514 Decal sheet, racing sponsors
- 6160X DVD, Maxx® Power! Full Throttle Action (sleeve)
- 9950 Official Team Traxxas® racing decal set (flag logo/ 6-color)
- 9909 Traxxas® racing banner, red & black (3x7 feet)

- Tires & Wheels**
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5854 Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
- 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
- 1747T Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
- 1747P Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 1647 Silicone grease
- 2754 Stub axle pins (4)
- 4175 Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (nitro rear/ 4WD electric front/rear) (2) (TSM rated)
- 3669A Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (front/rear, Stampede 4x4) (2)
- 3669 Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (front/rear, Stampede 4x4) (2)
- 6792 Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer™ tires, foam inserts) (2) (TSM® rated)
- 6771 Tires and wheels, assembled, glued 2.8" (All-Star chrome wheels, Maxx® tires, foam inserts) (2)
- 6770 Tires, Maxx® 2.8" (2)/ foam inserts (2)
- 3671 Tires, Talon 2.8" (2)/ foam inserts (2)
- 1654 Wheel hubs, hex (rear) (2)/ stub axle pins (2)
- 1654X Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins (4)
- 6856X Wheel hubs, splined, 17mm, short (4)/ wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4 X 0.7 (4)/ axle pin (4)/ wrench, 5mm
- 5353 Wheel nuts, splined, 17mm (blue-anodized) (4)
- 5480X Wheel wrench, splined, 17mm
- 5576A Wheels, All-Star 2.8" (black chrome) (front/rear, Stampede 4x4) (2)
- 5576 Wheels, All-Star 2.8" (chrome) (Stampede 4x4 front or rear) (2)
- 5572 Wheels, Twin-Spoke 2.8" (chrome) (front/rear, Stampede 4x4) (2)

- Traxxas Tools**
- 3433X Body reamer (aluminum handle)
- 3433 Body reamer (plastic handle)
- 3436 Cap, body reamer
- 3432 Scissors, curved tip
- 3431 Scissors, straight tip
- 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
- 8721 Speed bit handle, medium (one piece)

## Page 6 Stampede® 4X4: TQ 2.4GHz Radio (Model 67054-1) Parts List

8720	Speed bit handle, premium, large (rubber overmold)
8722	Speed bit handle, premium, medium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

### Turnbuckles & Threaded Rods

3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
5525	Rod ends (12)/ hollow balls (12)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
2335	Turnbuckles (72mm) (Tie rods or optional rear camber rods) (2)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM